1 / 11

Fig.1




Fig.2




Fig.3




Fig.4

Fig.4							
					-		
408	RECEPTION FLAG COLUMN	 -	0				
406	TIME LIMIT DATE/TIME COLUMN	 2002/12/7 20:00	2002/12/7 20:00		2002/12/5 20:00		
405	START DATE/TIME COLUMN	 2002/12/1 8:00	2002/12/1 8:00	•••	2002/12/1 15:00 2002/11/15 8:00	•••	
404	PROVISION DATE/TIME COLUMN	 2002/12/2 13:15	2002/12/3 10:10		2002/12/1 15:00		
402	SURVEYOR ID COLUMN	 36112	36114		36113		
400	SHEET ID COLUMN	 1051	1030		2016	•••	

108

_	•		_
_	t	\sim	•
	Ł	Ⴞ.	•
-	-	ο.	_

Fig.5						_	_
416	SURVEYOR NAME COLUMN	S R S	Sato	Sasaki	Suzuki	Q # E	
414	E-MAIL ADDRESS COLUMN	0 W U	OO@△△△. co. jp	××@OO ne. jp	$\Delta \Delta $.	
412	TERMINAL ID COLUMN	5 E S	AZ1156a	CP2613b	Bb1.126a	.	
410	SURVEYOR ID COLUMN	* * *	36112	36113	36114	 ■	

Fig.6

468 36112000. dat 450a - < SURVEY RESULT> <SURVEYOR ID> 36112 </SURVEYOR ID> **~**-452 <SHEET ID> 1051 </SHEET ID> **~**454 <SURVEY DATE AND TIME>2002/12/2 15:05</SURVEY DATE AND TIME> <ITEM 1> X₁, Y₁, H₁ </ITEM 1> **~**458 <ITEM 2> YES </ITEM 2> **~460** <ITEM 3> VERY HEAVY </ITEM 3> **~**462 <ITEM 4> 20021221505_36112.jpg </ITEM 4> 464 <ITEM 5> 20021221501_36112.jpg </ITEM 5> 466 450b - </SURVEY RESULT>

Fig.7

1 .8.7								
								7
434	ANALYSIS FLAG COLUMN			0		Ó	•	
432	RELIABILITY COLUMN		А	3	А	В		
430	RESULT FILE NAME COLUMN		36112000. dat	20100×××. dat	35577000. dat	36112∆∆∆. dat	•••	
428	SURVEY DATE/TIME COLUMN	•••	2002/12/2 15:05	2002/12/2 14:05	2002/12/2 15:05	2002/12/2 15:15	•••	
426	POSITION INFORMATION COLUMN		X1, Y1, H1	X2, Y2, H2	Хз. Үз. Нз	X4, Y4, H4		
424	COLLÉCTION DATE/TIME COLUMN	•••	2002/12/2 15:07	2002/12/2 15:08	2002/12/2 15:08	2002/12/2 15:30		
422	SHEET ID COLUMN	• • •	1051	1051	1051	1055		
420	SURVEYOR ID COLUMN		36112	20100	35577	36112		

116

Fig.8						
476	RELIABILÍTY VALUE COLUMN	•••	A: 0 TO 5, B: 5 TO 15 C: 15 OR LARGER	A: 0 TO 15, B: 15 TO 50 C: 50 OR LARGER		
474	IDEAL VALUE COLUMN		OO SHOP POSITION (χ_0, χ_0, h_0) C: 15 OR LARGER	$_{\Delta\Delta}$ SHOP POSITION $\left(\chi_{1},y_{1},h_{1}\right)$ C: 50 OR LARGER	• • • ·	
472	RELIABILITY DÉTERMINATION DATA ITEM COLUMN	•••	ITEM 1 (SURVEY POSITION INFORMATION)	ITEM 5 (SURVEY POSITION INFORMATION)	• • •	
470	SHEÉT ID COLUMN	• • •	1051	1055		

Fig.9

٠





Fig.10






Fig.11

